

# A unified approach for analysis of wear and fatigue

Michael Khonsari\*

Dow Chemical Endowed Chair and Professor  
Department of Mechanical and Industrial Engineering, Louisiana State University, Baton Rouge, Louisiana, USA.

\*Corresponding e-mail: khonsari@me.lsu.edu

**Keywords:** Wear; fatigue; friction

**ABSTRACT** – Control and quantification of friction, as a ubiquitous phenomenon, has been of significant priority in numerous practical applications involving contacting bodies. Economic implications ensuing from the loss of material, energy and functionality caused by friction and wear further underline the need for robust modeling techniques. While attempts to afford the development of comprehensive wear models have been profuse, the degree of their success has been limited owing, in large part, to the variegated nature of friction and wear. Today, in light of the existing body of knowledge, it is acknowledged that wear of materials involves a variety of complex and physically diverse phenomena that often occur in an inextricably intertwined fashion. It is, therefore, of no surprise that there exists a scarcity of predictive models to realistically account for the multifarious processes involved. Accordingly, the development of approaches that can properly unify the processes underlying wear and friction is an important scientific endeavor.

Friction, wear, and fatigue are examples of dissipative processes in tribology wherein the system's free energy,  $\Psi$ , responsible for doing useful work, decays with time. That is, if  $\Psi_i$  denotes the initial free energy of a pristine tribosystem, then after completion of the dissipative process its free energy decreases to  $\Psi_f$  such that  $\Psi_f < \Psi_i$ . This decay in the free energy continues until the system attains a minimum at the equilibrium state in accordance with the principle of minimum free energy. Thus, the system's path to the minimum free-energy is always accompanied by increasing entropy until it reaches its peak value at the equilibrium state. The increase in entropy is a consequence of increasing disorder in the system with time. Therefore, notwithstanding the multiplicity of underlying dissipative processes involved, they all share one unique feature: they all produce entropy. Therefore, thermodynamic entropy production is believed to be a propitious measure for a systematic study of wear and friction.

In this lecture, I present results of a series of recent experimental and analytical development associated with surface degradation such as adhesive wear as well as fatigue fracture within the framework of irreversible thermodynamics. This view offers a potentially transformative path forward for the development of predictive methodologies for variety of applications.

## REFERENCES

- [1] Bryant, M. D., Khonsari, M. M., and Ling, F. F. 2008, "On the thermodynamics of degradation", Proceedings of the Royal Society a-Mathematical Physical and Engineering Sciences, 464 (2096), 2001–14.
- [2] Doelling, K. L. Ling, F. F Bryant, M. D. and Heilman B. P., 2000, "An experimental study of the correlation between wear and entropy flow in machinery components", Journal of Applied Physics, 88(5), 2999 – 3003.
- [3] Amiri, M. and Khonsari, M. M. 2010, "On the thermodynamics of friction and wear—a review," Entropy, 12 (5), 1021 – 1049.
- [4] Aghdam, A.B., Khonsari, M. M., 2011, "On the correlation between wear and entropy in dry sliding contact," Wear, 270 (11-12), 781 – 790.
- [5] Aghdam, A. B., & Khonsari, M. M., 2014, "Prediction of wear in grease-lubricated oscillatory journal bearings via energy-based approach," Wear, 318 (1), 188 – 201.
- [6] Amiri, M., Khonsari, M. M. and Brahmeshwarkar, S. 2012, "An Application of Dimensional Analysis to Entropy-Wear Relationship," ASME Journal of Tribology, 134 (1), 011604.
- [7] Khonsari, M. M. and Amiri, M. *Introduction to Thermodynamics of Mechanical Fatigue*, CRC Press, 2013.