

TABLE OF CONTENTS

FOREWORD BY THE EDITORS-IN-CHIEF	ii
EDITORIAL BOARD	iii
REVIEWERS	iv
TABLE OF CONTENTS	vi

Keynote Speeches

001. Hard thin film coatings deposited by Cathodic Arc Physical Vapor Deposition technique. <i>R.J. Talib, M.F. Fazira, H.M. Ariff</i>	1
002. A unified approach for analysis of wear and fatigue. <i>Michael Khonsari</i>	2
003. Tribology issues in low-friction engine surface finishing. <i>M. El Mansori, S. Mezghani, I. Sabri</i>	3
004. Overlooking map of tribotechnology. <i>Takahisa Kato</i>	4

Invited Talks

005. Tribological aspects of wind and water power plants. <i>Wilfried J. Bartz</i>	6
006. New generation carbon coatings with monocrystalline structure as the promising new method of oil lubricity increasing. <i>V. Levchenko, I. Buyanovsky, K. Zakharov, A. Bol'shakov, V. Matveenko Thiru</i>	7
007. Status and developments in tribology of polymer composites. <i>A.K. Schlarb</i>	9
008. Nature inspired design in tribology. <i>M.J. Ghazali, H.A. Hassan, J.A. Wahab</i>	12
009. Low friction property of carbon overcoat DLC under boundary lubrication. <i>T. Tokoroyama</i>	14
010. Effect of surface texturing on friction coefficient between aluminum and alloy tool steel under lubricated sliding contact. <i>N. Nuraliza, S. Syahrullail</i>	17
011. Adsorption and friction of Mussel Adhesive Protein (MAP) films under polarization. <i>G.X. Xie, F. Zhang, J.S. Pan</i>	19

012.	Performance analysis of thermal arc spray aluminium coating as a sacrificial anode and mechanical properties in artificial seawater. <i>Nor Hayati Saad, Muhamad Hafiz Abd Malek, Sunhaji Kiyai Abas, Noriyati Md Shah</i>	21
013.	High speed and large area coating of tetrahedral amorphous carbon with filtered multi cathode vacuum arc plasma system. <i>Young-Jun Jang, Yong Jin Kim, Gi Taek Kim, Yong Jin Kang, Jong-kuk Kim, Seock-Sam Kim</i>	23
014.	Tribological impact of CI engine piston rings under different blend ratio biodiesel. <i>N. Tamaldin, M.F.B. Abdollah, H. Amiruddin, M.A. Abdullah, M.T. Taib</i>	25
015.	Wear prediction of die coating in strip ironing by Finite Element simulation. <i>Numchoak Sabangban, Sasawat Mahabunphachai, Sedthawatt Sucharitpwatskul, Numpon Mahayotsanun</i>	27
016.	An integration using Taguchi/response surface method on wear and friction of stainless steel-pin-on-pure al block. <i>R. Md. Nasir, D.W.J. Jan</i>	29
017.	Power generation and blade turbine erosion. <i>Mohammed Rahmani</i>	31
018.	Evaluation of transformed layer of DLC coating after friction test using Atomic Force Microscopy (AFM). <i>N.A.B. Masripan, Y. Tsukiyama, K. Ohara, N. Umehara, H. Kousaka, T. Tokoroyama, S. Inami, K. Zushi, M. Fujita</i>	32
019.	Corrosion study of heat treated nanocrystalline CoNiFe coating exposed in sodium solution. <i>Nor Azrina Resali, Koay Mei Hye, M.N. Berhan, N.R. Nik Roselina, C.M. Mardziah, Zuraidah Salleh</i>	34

Theme 1: Bearing Design and Technology

020.	Stability of double porous and surface porous layer journal bearing. <i>T.V.V.L.N. Rao, A.M.A. Rani, M. Awang, T. Nagarajan, F.M. Hashim</i>	36
021.	3D surface roughness effects on porous journal bearing performances. <i>Mohammedrafi H. Kerur, T. Nagaraju</i>	38
022.	Effect of dimensional tolerances on the performance of hybrid bearing. <i>K.P. Lijesh, H. Hirani</i>	40
023.	Problems of rolling bearing life in small turbojet engines. <i>Boleslaw Giemza, Pawel Jozwik</i>	42
024.	Surface roughness and fluid inertia effects on non-Newtonian THD performances of a journal bearing. <i>T. Nagaraju, E. Sujith Prasad</i>	44

025.	Effect of orientation of pocket on the performance of geometrically irregular hybrid journal bearing. <i>Arvind K. Rajput, Satish C. Sharma, Nathi Ram</i>	46
026.	Reusable sounding rocket engine and it's tribological subjects. <i>M. Yoshida, S. Takada, T. Hashimoto, M. Sato, T. Kimura</i>	48

Theme 2: Biotribology

027.	Effect of radial and thickness of polyethylene on wear generation in total ankle replacement. <i>AA.M.S. Putra, M.N. Harun, Ardiyansyah Syahrom, M.R. Abdul Kadir</i>	50
028.	The influence of peg designs on glenoid component: A finite element study. <i>A.W.A. Hadi, M.R.A. Kadir, M.N. Harun, A. Syahrom</i>	52
029.	The effect of the wear rate on impingement failure confirming the relation between impingement failure and wear of the acetabular liner surface based on finite element simulation. <i>E. Saputra, I.B. Anwar, R. Ismail, J. Jamari, E. van der Heide</i>	54
030.	Study on the biocompatibility and wear of stainless steel 316L and UHMWPE materials. <i>I.B. Anwar, E. Saputra, R. Ismail, J. Jamari, E. van der Heide</i>	56
031.	Characteristics of regenerated cartilage tissue cultured under traction loading. <i>K. Fukuda, S. Omata, T. Yamaguchi, Y. Sawae</i>	58
032.	Measuring human hair friction with a crossed fibres test setup. <i>V. Krasnik, J. Schlattmann</i>	60

Theme 3: Contact Mechanics

033.	Physical properties and energy absorption characteristic of open cell ENR/RR foam. <i>M.A. Mahamood, N. Mohamad, A.R. Jeefferie, A.H.M. Zain, M.I. Shueb, A.M. Hairul Effendy</i>	62
034.	Plastic deformation in running-in of rolling contact. <i>N.F. Mohd Yusof, Z.M. Ripin</i>	64
035.	Finite element modeling of the contact between an insole shoe and a ballnose cutter milling. <i>B. Bawono, P.W. Anggoro, J. Jamari, A.P. Bayuseno</i>	66
036.	A numerical investigation of mechanical behavior of unfilled styrene-butadiene rubber by static straight blade indentation. <i>B. Setiyana, R. Ismail, J. Jamari, D.J. Schipper</i>	68
037.	Finite element analysis of a two layer viscoelastic material in contact with a flat punch. <i>P.W. Anggoro, B. Bawono, J. Jamari, A.P. Bayuseno</i>	70

038.	Effects of drop height and damper thickness on shock output optimization for hard disk drive reliability. <i>C.K. Low, M. Jamil, M. Azrul, C.H. Tan, N. Kazuo, W.L. Ng, Watanabe Takeshi, M. Ridwan, M. Ridzwan</i>	72
039.	Running-in of an artificial rough rolling-sliding contact using finite element analysis. <i>R. Ismail, E. Saputra, J. Jamari, D.J. Schipper</i>	74
040.	Effect of geometry on the plastic contact between two hemispheres. <i>J. Jamari, E. Saputra, R. Ismail, M. Tauviqirrahman, D.J. Schipper</i>	76
041.	Stick-slip motions of polymer gels having multiple artificial asperities. <i>T. Yamaguchi, Y. Himeno, Y. Sawae</i>	78
042.	Novel design concept for Rayleigh step bearing with high robustness against step height change due to frictional wear. <i>Shunsuke Mori, Satoru Maegawa, Fumihito Itoigawa, Takashi Nakamura</i>	80
043.	Measurements of surface displacement field for multi-contact interface of elastomers. <i>S. Maegawa, F. Itoigawa, T. Nakamura</i>	82
044.	Effects of dispersed sulfides in bronze under line contact conditions. <i>T. Sato, Y. Hirai, T. Fukui, K. Akiyama, H. Usami</i>	84
045.	Compressive properties and water contact behavior of opened-cell green rubber foam at different blowing agent concentration. <i>N. Mohamad, M. Mazliah, Z. Nur Sharafina, M.N. Amirul Asyraf, M.F.B. Abdollah, A.M. Hairul Effendy</i>	86
046.	Theoretical groundwork: An extension to the double Hertz model for adhesion between elastic cylinders. <i>N.H.M. Zini, M.B. de Rooij, N. Ismail, D.J. Schipper, A. Akchurin</i>	88
047.	The contact area of elastomers as a function of the sliding velocity. <i>N.V. Rodriguez, M. Khafidh, M.A. Masen, D.J. Schipper</i>	90
Theme 4: Friction and Wear		
048.	An investigation of hard-on-soft contact: For reducing friction in hemispherical cup. <i>D.M. Razak, S. Syahrullail, M.A. Nurul, N. Nuraliza, Y. Azli</i>	92
049.	Wear characteristics of thixoforming hypoeutectic Al-Si-Cu alloy with Mg addition. <i>K.S. Alhawari, M.Z. Omar, M.J. Ghazali, M.S. Salleh, M.N. Mohammed</i>	94
050.	Effect of the particle angularity on friction coefficients and grit embedment of brake pad material. <i>M.K. Abdul Hamid, A.R. Abu Bakar</i>	96
051.	Influence of temperature on galling resistance of SS 416. <i>NA.P. Harsha, P.K. Limaye</i>	98

052.	Dry sliding wear of in-situ synthesized Al-TiC composites. <i>Abhishek Kumar, Rakesh K. Gautam, Rajnesh Tyagi</i>	100
053.	Sliding wear behavior of electro-carburized low carbon steel at high speed. <i>J.L.J. Ling, W.Y.H. Liew, N.J. Siambun</i>	102
054.	The characteristics of the fretting wear of Inconel738LC and CM247LC according to the roughness change. <i>Kyoung-Sup Kum, Young-Ze Lee</i>	104
055.	Reciprocating wear of mild steel carburized using Na ₂ CO ₃ -NaCl. <i>W.Y.H. Liew, Roonie Protasius, J.L.J. Ling, N.J. Siambun, Noor-Ajian Mohd-Lair</i>	106
056.	Tribological behavior of Al based self-lubricating composites. <i>Vineet Rajput, Rakesh K. Gautam, Rajnesh Tyagi</i>	108
057.	Effect of humidity on limiting friction: An experimental investigation. <i>K.S. Pondicherry, F. Wolf, G. Krenn</i>	111
058.	Detection of wear transition using change in frequency of AE signals. <i>Alan Hase, Yota Takemura, Hiroshi Mishina</i>	113
059.	Dry sliding wear behavior of Al-SiO ₂ composites. <i>S. Mohan, Gaurav Gautam, Narendra Kumar, R.K. Gautam, A. Mohan, Ashish. Kr. Jaiswal</i>	115
060.	Synthesis and tribological properties of AA5052 base <i>insitu</i> composites. <i>Gaurav Gautam, Narendra Kumar, Anita Mohan, Sunil Mohan, R.K. Gautam</i>	117
061.	The challenge of temperature measurement in tribology experiments. <i>T.C. Yap, K.O. Low, M.N. Ervina Efzan</i>	120
062.	Effects of oxidative degradation on the wear and wear particles of cross-linked UHMWPE. <i>L. Zhang, Y. Sawae, T. Murakami, T. Yamaguchi</i>	123
063.	Effect of trace moisture content on friction of carbon fiber filled PTFE in high purity gas. <i>H. Kojima, Y. Sawae, T. Morita, J. Sugimura</i>	125
064.	Severe-mild wear transition at different relative humidity rates. <i>K. Fukuda, T. Morita</i>	127
065.	Wear characteristics of a combustion liner for power generation gas turbine. <i>Ahmad Afiq Pauzi, Mariyam Jameelah Ghazali, Wan Fathul Hakim W. Zamri, Salmi Mohd Yunus, Shuib Husin</i>	129
066.	Kinetic and friction analyses of a preloaded double nut ball-screw. <i>Chin-Chung Wei, Dong-Hao Xu</i>	131
067.	Wear mechanism of carbide cutting tools in machining process. <i>Jaharah A. Ghani, Che Hassan Che Haron, Siti Haryani Tomadi, Mohd Shahir Kasim, Mohd Amri Sulaiman</i>	133

068.	Friction in fiber-fiber contact: An experimental setup. <i>N. Ismail, E.G. de Vries, M.B. de Rooij, N.H.M. Zini, D.J. Schipper</i>	135
069.	Effect of strain rate response and pin diameter on mechanically mixed layer formation and wear mechanisms in a Ti6Al4V – SS316L pair. <i>B Ashok Raj J., Satish V. Kailas</i>	137
070.	Influence of single and multiple particle size variation on mechanical and wear behaviour of aluminium silicon carbide composites. <i>A.A. Adebisi, M.A. Maleque, M.Y. Ali, K.A. Bello</i>	139
071.	The effect of oil treatment on wear property of medium carbon steel. <i>S. Kasolang, M.H.K. Anwar, M.H. Ismail, M.A.A. Bakar, N.R.N. Roselina, A. Jumahat</i>	142
072.	Significance of tool rotational speed and impact of tool pin profile on the tribological properties of friction stir welded AZ80A Mg alloy. <i>P. Sevel, V. Jaiganesh</i>	144
073.	A comparative study for concrete strength prediction using Fuzzy modeling and Neuro-Fuzzy modeling techniques. <i>Q. Ahsan, M.L. Law, R. Farahiyah, N. Mohamad, H. Effendy, Sivarao</i>	146
074.	Abrasive wear rate on natural fibre composite. <i>M.A. Abu Bakar, M.A. Ahmad, S. Kasolang, N.R. Nik Roseley, N.R. Nik Mohd Masdek</i>	148

Theme 5: Fuels, Lubricants and Lubrication

075.	Experimental analysis of antiwear property of 460cSt industrial mineral gear oil with MWCNT and ZnO nanoparticles using pin-on-disc apparatus. <i>Shubrajit Bhaumik, S.D. Pathak</i>	150
076.	Investigation of Demnum-based PFPE lubricant thickness tendency with mixture of additive on magnetic hard disk head-disk interface (HDI) tribological performance. <i>Y.H. Ooi, Y. Y. Por, A. Khairul, S.P. Yeap, N. Kazuo, W.L. Ng</i>	153
077.	Study of graphene nanolubricant using thermogravimetric analysis. <i>A.K. Rasheed, M. Khalid, W. Rashmi, T.C.S.M. Gupta, A. Chan</i>	155
078.	Hydrodynamic lubrication of surface textured lubricated contacts with boundary slip using CFD. <i>M. Tauviqirrahman, Muchammad, A.W. Pratomo, J. Jamari, D.J. Schipper</i>	157
079.	Numerical investigation of pocketed slip slider bearing with non-Newtonian lubricant. <i>A.W. Pratomo, Muchammad, M. Tauviqirrahman, J. Jamari, A.P. Bayuseno</i>	159
080.	Effects of fuel additive to the fuel economy and emission in gasoline engine. <i>N.R. Abdullah, A.R. Asiah, A.J. Helmisyah, Z. Michael, M.A. Ahmad</i>	161
081.	Numerical investigation of the combined effects of slip and texture on tribological performance of bearing. <i>Susilowati, M. Tauviqirrahman, J. Jamari, A.P. Bayuseno</i>	163

082.	Effect of lubricants and thermal resistance filler on the pressure and speed sensitivity characteristics of non-asbestos low metallic disc brake pad formulation. <i>M. Rahul Ragh, R. Vijay, Arvind Venkatramani, D. Lenin Singaravelu</i>	165
083.	Development of Otto-ATR Raman spectroscopy for thin lubricant films. <i>S. Yada, S. Maegawa, F. Itoigawa, T. Nakamura</i>	167
084.	SPR microscopy with ATR Otto configuration for observing thin boundary lubrication films. <i>J. Yamaguchi, S. Maegawa, F. Itoigawa, T. Nakamura</i>	169
085.	Compensated hole-entry hybrid journal bearing by CFV restrictor under micropolar lubricants. <i>Nathi Ram, Satish C. Sharma, Arvind Rajput</i>	171
086.	Mechanism for increase in EHL oil film thickness by formation of sub-micrometer downsteps beside contact point. <i>H. Ishihara, T. Hirayama, T. Matsuoka</i>	173
087.	Rheological property of boundary layer formed by oiliness additive evaluated by a new rheometer with narrow clearance. <i>S. Shibata, Y. Hashimoto, T. Hirayama, T. Matsuoka</i>	175
088.	Effects of fuel additive quantity on fuel consumption and CO emissions of a 1.6L gasoline engine fueled with RON97. <i>N.R. Abdullah, Muhammad Hanif Mat, Aman Mohd Ihsan Mamat, Idris Saad, Muhammad Faiz Mat</i>	177
089.	New oil condition monitoring system, WearSens® enables continuous, online detection of critical operating conditions and wear damage. <i>Manfred Mauntz, Ulrich Kuipers, Jörn Peuser</i>	179
090.	Analyses of various viscosity effects to hydrodynamic lubrication in tube spinning process. <i>I. Nawj, B.A.M. Zain, W.A. Siswanto, N. Jaffery, H. Wahab</i>	181
091.	Dynamic behavior of diesel spray during end-of-injection influence by ambient density and pressure fuel injection. <i>Mohd Al-Hafiz Mohd Nawj, Naoya Uwa, Yuki Ueda, Yuzuru Nada, Yoshiyuki Kidoguchi</i>	183
092.	Lubricating oil deterioration on a four-ball test rig via on-line monitoring. <i>Y. Du, T.H. Wu, J. Cheng, R.J. Gong</i>	185
093.	Review of biodiesel standard development in Malaysia. <i>N. Tamaldin, M.F.B. Abdollah, H. Amiruddin, A.K. Mat Yamin, H.H. Masjuki, Z.M. Zulfattah</i>	187
094.	Comparison of the frictional properties of nano-oil and SAE 15W40 oil diluted with biodiesel fuel. <i>M.I.H.C. Abdullah, M.F.B. Abdollah, N.R. Mat Nuri, H. Amiruddin, N. Tamaldin</i>	190
095.	Evaluations of piston ring wear using nano hexagonal boron nitride lubricant additives in small diesel engine. <i>M.I.H.C. Abdullah, M.F.B. Abdollah, H. Amiruddin, N. Tamaldin, N.R. Mat Nuri</i>	192

Theme 6: Green Tribology

096.	AW/EP behavior of WS2 nanoparticles added to vegetable oil-based lubricant. <i>M. Gulzar, H.H Masjuki, M. Varman, M.A. Kalam, R.A. Mufti, Rehan Zahid, R. Yunus</i>	194
097.	Non-edible palm oil: Alternative to mineral based lubricant in metal forming process. <i>M.A. Nurul, S. Syahrullail, D.M. Razak</i>	196
098.	Tribology characteristic of hBN particle as an additive in modified jatropha oil as a sustainable metalworking fluids. <i>N. Talib, R. Md. Nasir, E.A. Rahim</i>	199
099.	Comparison of tribological performance of zinc dialkyldithiophosphate (ZDDP) in poly-alpha-olefin (PAO) and palm oil-based trimethylpropane (TMP) ester. <i>Rehan Zahid, H.H. Masjuki, Mahendra Varman, R.A. Mufti, Md. Abul Kalam, Mubashir Gulzar, R. Yunus</i>	201
100.	Cost evaluation on PVD coating during end milling of Inconel 718 under MQL condition. <i>M.S. Kasim, C.H. Che Haron, J.A. Ghani, M.A. Hadi, M.A. Ali, R. Izamshah, M. Minhat, T.J.S Anand, T. Ito</i>	203
101.	Graphene nanoplatelets in bio-based lubricant. <i>S.S.N. Azman, N.W.M. Zulkifli, H.H. Masjuki</i>	205
102.	Tribological performance of raw and chemically modified RBD palm kernel. <i>A.N. Farhanah, S. Syahrullail, N. Sapawe</i>	207
103.	The feasibility study of CaCO ₃ derived from cockleshell as nanoparticle in chemically modified lubricant. <i>N.A. Zainal, N.W.M. Zulkifli, M. Yusoff, H.H. Masjuki, R. Yunus</i>	209
104.	Friction and wear characteristics of recycled aerocomposite carbon fibre reinforced polypropylene composites. <i>A.A. Latiff, N.Mohamad, A.R. Jeefferie, M.H.M. Nasir, S. Siti Rahmah, M.A. Mahamood, M.I.H.C. Abdullah, M.F.B. Abdollah</i>	211
105.	Addition of ZDDP in corn oil as lubricant physical property improver. <i>N.R. Mat Nuri, Q.N. Suffian, M.F.H.M. Saroji, M.A. Azhari</i>	213
106.	Preliminary studies on physical property of canola oil + ZDDP as bio-lubricant. <i>M.A. Azhari, S.H. Zainal, M.F.H.M Saroji, N.R. Mat Nuri</i>	215
107.	Comparison of physical and tribological properties of coconut oils extracted from dry and wet processing. <i>D. Gasni, I. H. Mulyadi, Jon Affi</i>	217
108.	Preliminary study of friction and wear on natural oil-based lubricants. <i>M.I.R. Azmi, B.T. Tee, N.A.B. Masripan, C.T. Chong</i>	220
109.	EDS analysis of tribofilm formed on self-mated stainless steel lubricated by palm biodiesel. <i>Z. Fuadi, T. Takeno, K. Adachi, M. Tadjuddin</i>	222

110.	Innovation in ecotribology: Biomimetic approaches. <i>I.C. Gebeshuber</i>	224
111.	Characterized and toxicity study of carbon nanotubes synthesis from fermented tapioca for tribological applications. <i>I. Nurulhuda, R. Poh, M.Z. Mazatulikhma, M. Rusop</i>	226
112.	Structural properties of graphene from green carbon source via Thermal Chemical Vapour Deposition (CVD). <i>M.J. Salifairus, S.B. Abd Hamid, T. Soga, Salman A.H. Alrokayan, Haseeb A. Khan, M. Rusop</i>	228
113.	Development of a versatile mechanical property testing platform. <i>Wanxin Sun</i>	230

Theme 7: Surface, Coatings and Interface

114.	FEM analysis in identifying the turning parameters for dimple structure fabrication. <i>Mohd Nor Azam Mohd Dali, Jaharah A. Ghani, Che Hassan Che Haron</i>	232
115.	Characteristics of PVD CrAlN thin film on Al-Si piston alloy. <i>Q.M. Mehran, A.R. Bushroa, M.A. Fazal</i>	234
116.	Comparative study of conventional blasting in Labuan Shipyard and Engineering (LSE): Reliability of recycled garnet. <i>Nur Hidayatul Nadhirah Elmi Azham Shah, Ali Saman, Muhammad Hussain Ismail</i>	236
117.	Investigation into effect of silicon morphology on surface roughness while machining Al-Si-Cu-Mg alloy. <i>M. Marani Barzani, A.A.D. Sarhan, S. Ramesh, I. Maher, S. Farahany</i>	238
118.	White layer thickness prediction in WEDM-ANFIS modelling. <i>Ibrahim Maher, Ahmed A.D. Sarhan, Houriyeh Marashi, Mohsen Marani Barzani, M. Hamdi</i>	240
119.	Enhanced surface roughness of AISI D2 steel machined using nano-powder mixed electrical discharge machining. <i>Houriyeh Marashi, Ahmed A.D. Sarhan, Ibrahim Maher, M. Sayuti, M. Hamdi</i>	242
120.	Laser surface texturing on ceramic coating. <i>Juyana A Wahab, M.J. Ghazali, W.M.W. Yusoff, Z. Sajuri</i>	244
121.	Effect of surface texture on the tribological performance of DLC coating. <i>A. Arslan, H.H. Masjuki, M. Varman, A. Kalam, R.A. Mufti, M. Gulzar, M.M. Quazi</i>	246
122.	Substrate temperature impact towards carbon overcoat properties and corrosion performance in magnetic recording media. <i>Amalina Balqis, Mun-Sing Fan, M. Shapuan M. Yusop, W.S. Khoo, Lawrence Ng Wah, Kazuo Nimura</i>	248

123.	Theoretical investigation of texture depth effect on the lubrication performance in slip pocketed bearing including cavitation. <i>Muchammad, M. Tauviqirrahman, A.W. Pratomo, J. Jamari, D.J. Schipper</i>	251
124.	Clarification the effects of oxygen to carbon ratio on wear mechanism of diamond-like carbon under pressurized hot water. <i>M.Z.M. Rody, K. Okuno, N. Umehara, N. Inayoshi, K. Sasaki, S. Kawara, H. Kousaka, X. Deng</i>	253
125.	Diamond like carbon deposition process optimization for media disk corrosion performance. <i>W.S. Khoo, R. Md. Nasir, M.R. Zaidi, W.L. Ng</i>	255
126.	Influences of carbon content within TiCxN1-x coating to adhesivity onto tungsten carbide substrate. <i>P.C. Siow, J.A. Ghani, C.H. Che Haron, M.J. Ghazali, T.R. Jaafar</i>	257
127.	Surface roughness of AlSi/AlN metal matrix composite material using the Taguchi method. <i>M.S. Said, J.A. Ghani, N.N Wan, C.H. Che Haron</i>	259
128.	A study on powder-pack boronizing of 316 stainless-steel ball bearing. <i>N.H. Omar, R. Hasan, N.A.B. Masripan</i>	261
129.	Interconnect material preparation via milled and ultrasonically Fe ₈₀ Cr ₂₀ alloy powder. <i>A.M. Leman, I. Baba, B. Abu Bakar, R. Rahmad, D. Feriyanto, D. Sebayang</i>	263
130.	Preparation and characterization of TIG-alloyed hybrid composite coatings for high temperature solid lubrication. <i>K.A. Bello, M.A. Maleque, Z. Ahmad, A.A. Adebisi, S. Mirdha</i>	265
131.	Characterisation of surface modification on titanium alloys for dental implant application. <i>A. Jemat, M.J. Ghazali, M. Razali, Y. Otsuka</i>	268
132.	Corrosion behavior and mechanical properties of duplex coating Ti6Al4V/TiAlBN. <i>Yusliza Yusuf, Zulkifli Mohd. Rosli, Jariah Mohamad Juoi, Nooririnah Omar</i>	271
133.	A study on effect of laser textured cast iron surfaces on reducing friction and wear. <i>N.A.M. Lazim, S.E.M. Kamal, R. Hasan</i>	273
134.	Analysis of sliding contact temperature for roughness surface. <i>S.Y. Chern, J.H. Horng, H.J. Tsai, C.H. Tsai</i>	275
135.	Characterization of thermal barrier coating on piston crown for high temperature internal combustion engine. <i>Helmisyah Ahmad Jalaludin, Muhammad Akmal Fahmi Mohammad, Salmiah Kasolang, Shahrir Abdullah</i>	278
136.	The effect of macro-rivet textures on tribological performances. <i>M.N.A.M. Yusoff, H.H. Masjuki, N.W.M. Zulkifli</i>	280

137.	3D modeling of rough surface from the measurement data. <i>Kartini, E. Saputra, R. Ismail, J. Jamari, A.P. Bayuseno</i>	282
138.	Hydrogen permeation into bearing steels under sliding. <i>H. Tanaka, T. Komatsu, J. Sugimura</i>	284
139.	Improved cold sprayed CoNiCrAlY bond coat in thermal barrier coating. <i>A. Manap, N.F. Afandi, S.N.A. Yusof</i>	286
140.	Tribological analysis of touch experience about various fabrics. <i>M.S. Kim, Y.Z. Lee</i>	288
141.	Tribological study of nanoporous amorphous boron carbide film prepared by pulsed plasma CVD. <i>S. Liza, N. Ohtake, H. Akasaka, J.M. Munoz-Guijosa, H.H. Masjuki</i>	290
142.	Direct observation of adsorbed additive layer at solid-liquid interface by frequency-modulation atomic force microscopy. <i>K. Fujino, R. Kawamura, T. Matsuoka, T. Hirayama, H. Onishi</i>	292
143.	Tribological properties of polymer overlay coated on the micro-textured metal substrate. <i>J. Ishihara, Y. Horiba, K. Enomoto, H. Usami</i>	294
144.	Research on thermal stability of DLC by using in-situ Environmental Scanning Electron. <i>X. Deng, H. Izuoka, H. Kousaka, N. Umehara</i>	296
145.	DLC coatings for cam follower applications: The role of the surface on tribochemical reactions, friction and wear. <i>MacDonald Ofune, Liuquan Yang, Ardian Morina, Anne Neville</i>	298
146.	Hybrid bilayer structure PbTiO ₃ /PVDF-TrFE prepared by spin coating method for capacitor applications. <i>Nurbaya Zainal, M.H. Wahid, Rozana Dahan, Salman A.H. Alrokayan, Haseeb A. Khan, M. Rusop</i>	300
147.	Investigation of ZnO nanotetrapods at different evaporation temperature prepared by thermal-CVD method for OLED applications. <i>N.E.A. Azhar, S.S. Shariffudin, Salman A.H. Alrokayan, Haseeb A. Khan, M. Rusop</i>	302
148.	Artificial intelligence technique in solving nano-process parameter optimization problem. <i>M.S. Norlina, M.S. Nor Diyana, P. Mazidah, M. Rusop</i>	304
149.	Sensing properties of nanostructured zinc oxide-based gas sensor fabricated using immersion method. <i>A.K. Shafura, M.H. Mamat, M. Uzer, A. Shuhaimi, Salman A.H. Alrokayan, Haseeb A. Khan, M. Rusop</i>	306
150.	The effect of different molarity on TiO ₂ solution prepared by sol-gel method. <i>I.H.H. Affendi, M.S.P. Sarah, Salman A.H. Alrokayan, Haseeb A. Khan, M. Rusop</i>	308

151.	Performance of TiCN and TiAlN coated twist drills. <i>R.J. Talib, S.M. Firdaus, H.M. Ariff</i>	310
152.	Correlations for roughness, slope and peak height for bead blasted surfaces. <i>S.M.S. Wahid, C.V. Madhusudana</i>	312
153.	Recent advances in non-contact metrology, high speed measurement, steep slope measurement and correlation with stylus data. <i>M. Conroy, R. Burton, Y. Yu, T. Kumagi</i>	314
154.	Electroless Ni-P-Cu-CuO composite coatings on mildsteel with zwitterionic surfactant. <i>R. Muraliraja, R. Elansezhian</i>	316
155.	Effects of oil groove location on viscosity profile in hydrodynamic lubrication journal bearing. <i>Mohamad Ali Ahmad, Salmiah Kasolang, Jaharah A. Ghani</i>	317
156.	Wear properties of nanoclay filled epoxy polymer. <i>A. Jumahat, A.A.A. Talib, A. Abdullah</i>	320
157.	Tool condition monitoring in milling using sensor fusion technique. <i>S. Shankar, T. Mohanraj</i>	322
158.	The effect of titanium dioxide nanoparticles on bio-lubricant film thickness using ultrasonic reflection. <i>S. Kasolang, N.S. Mohamad, M.A.A. Bakar, A. Jumahat, N.R. Nik Roselina</i>	324
159.	The development of ceramic fiber via sacrificial method. <i>M.S. Sharmiwati, Z. Azmiza, S. Fazidah, M.H. Nuraida, H. Roshanizah</i>	327